


### Comparison between target and referenced product



	Target Product: WT3000E				Referenced product: WT1600			
	Energy MJ	CO <sub>2</sub> Emissions kg	NO <sub>x</sub> Emissions g	SO <sub>x</sub> Emissions g	Energy MJ	CO <sub>2</sub> Emissions kg	NO <sub>x</sub> Emissions g	SO <sub>x</sub> Emissions g
Raw materials	3,984.6	232.8	516.6	280.2	4,255.9	246.3	569.2	289.5
Components	2,584.2	122.4	345.0	111.2	3,910.5	185.9	522.6	169.8
Machining and assembly	459.9	20.5	63.8	16.9	788.8	35.1	109.5	29.0
Logistics	1,185.3	80.3	99.3	200.7	1,154.8	78.2	97.2	195.2
Consumption	7,740.8	345.3	1,074.2	287.0	9,987.7	445.4	1,386.0	369.7
Disposal	-370.6	-20.5	-50.9	-23.7	-390.6	-21.7	-53.4	-24.4
Total	15,584.4	780.8	2,048.1	872.4	19,707.1	969.3	2,631.1	1,028.8
Reduction ratio	20.9%	19.4%	22.2%	15.2%				

Note: Value of the referenced product is calculated based on the functional factor.      Functional factor: 1